

Multilayer traces analysis with Kernel Tracing

Cédric Biancheri
Michel Dagenais

10 December, 2015
École Polytechnique de Montréal

Content

- General objectives
- Previous approach
 - Virtual Machine Cpu Analysis
 - Virtual Machine View
- Fused Virtual Machine Analysis
- Fused Virtual Machine View

Objectives

- Represent multilayer traces (Virtual machines, Containers, JVM...)
- Bring out indirect interactions between machines
- Track a virtual CPU and processes
- Find possible sources of preemption

Virtual Machine Analysis

Based on Kernel tracing

Required events:

- sched_switch
- sched_process_fork
- sched_process_exit
- kvm_entry
- kvm_exit


State History Tree:

```
|--Virtual Machines
|   |--Ubuntu
|       |--CPUs
|           |--CPU 0
|               |--Current Status
```

M. Gebai: “Fine grained preemption analysis across virtual machines”


Virtual Machine Analysis

Virtual Cpu states transitions:




Virtual Machine Cpu View

Resources View:




Virtual Machine Cpu View

Resources View:




Virtual Machine View:






Virtual Machine Cpu View

Resources View:



Virtual Machine View:



Fused Virtual Machine Analysis


- Similar to the Kernel Analysis
- Centered on the host
- Requires traces from the host and guests

Objective:

Analyse the events of guests as if they were from the host

And remember where they are really from

Fused Virtual Machine Analysis



Fused Virtual Machine Analysis

Kernel Analysis:

```
|--Host
|   |--CPUs
|   |   |--CPU 0
|   |   |   |--Status
|   |   |   |--CurrentThread
|   |--Threads
|   |   |--1461
|   |   |
|   |   |
```

Fused Virtual Machine Analysis

Kernel Analysis:

```
|--Host
|  |--CPUs
|  |  |--CPU 0
|  |  |  |--Status
|  |  |  |--CurrentThread
|  |--Threads
|  |  |--1461
|  |  |
|  |  |
```

Fused Virtual Machine Analysis:

```
|--Host
|  |--CPUs
|  |  |--CPU 0
|  |  |  |--Condition
|  |  |  |--Status
|  |  |  |--CurrentThread
|  |  |  |--MachineName
|  |  |  |--vCPU
|  |--Threads
|  |  |--Host
|  |  |  |--1523
|  |  |  |--VM1
|  |  |  |--2401
|  |  |
```

Fused Virtual Machine View

Demo:

- Host with 8 pCPUs
- One task switching between pCPUs 0 & 1


- Guest with 2 vCPUs on pCPUs 0 & 1
- One task on each vCPU

Conclusion


- Multilevel traces aggregated in one level
- Highlight a virtual machine
- Track a vCPU on the host
- Observe directly the cause of a preemption

email: cdc.biancheri@gmail.com Github: <https://github.com/cbiancheri/>


In case of Murphy's Law




In case of Murphy's Law




In case of Murphy's Law




In case of Murphy's Law




In case of Murphy's Law



In case of Murphy's Law



In case of Murphy's Law



In case of Murphy's Law

